


ACCESORIOS PVC PRESION PVC PRESSURE FITTINGS RACCORDS PVC PRESSION

ASTM / NPT



NOT FOR USE WITH COMPRESSED AIR OR GAS

WARNING:

DO NOT USE COMPRESSED AIR OR GAS TO TEST ANY PVC OR CPVC THERMOPLASTIC PIPING PRODUCT OR SYSTEM.
DO NOT USE DEVICES PROPELLED BY COMPRESSED AIR OR GAS TO CLEAR SYSTEMS.
THESE PRACTICES MAY RESULT IN EXPLOSIVE FRAGMENTATION OF SYSTEM PIPING AND COMPONENTS CAUSING SERIOUS OR FATAL BODILY INJURY.

PVC PRESSURE FLOW FITTINGS



3

PVC UNIONS



4

FLOWMETERS



5

PVC PRESSURE FLOW FITTINGS - SCHEDULE 40 - 150 PSI




**90° Elbow
PVC - SCH 40
Socket**

- **Pressure rating:**
1½" to 2" - 150 PSI @ 73° F
- **Color:** white (ASTM) / grey (metric)




**45° Elbow
PVC - SCH 40
Socket**

- **Pressure rating:**
1½" to 2" - 150 PSI @ 73° F
- **Color:** white (ASTM) / grey (metric)




**90° Tee
PVC - SCH 40
Socket**

- **Pressure rating:**
1½" to 2" - 150 PSI @ 73° F
- **Color:** white (ASTM) / grey (metric)




**Coupling
PVC - SCH 40
Socket**

- **Pressure rating:**
1½" to 2" - 150 PSI @ 73° F
- **Color:** white (ASTM) / grey (metric)



**Male adapter
PVC - SCH 40
Threaded (M) x Socket**

- **Pressure rating:**
1½" to 2" - 150 PSI @ 73° F
- **Color:** white (ASTM) / grey (metric)




**Reducing bushing
PVC - SCH 40
Socket**

- **Pressure rating:**
1½" to 2" - 150 PSI @ 73° F
- **Color:** white (ASTM) / grey (metric)


Packaging			DIN Metric Sizes			ASTM/NPT Sizes		
Pack	Weight (lb.)	Qty.	D	Code	List price USD	Size	Code	List price USD
E	33.29	4x30=120	50	19206	*	1½"	18868	*
E	31.30	72	63	19207	*	2"	18867	*
E	36.15	4x40=160	50	19210	*	1½"	19204	*
E	33.29	2x45=90	63	19211	*	2"	19205	*
E	33.51	4x23=92	50	19208	*	1½"	18869	*
E	31.74	58	63	19209	*	2"	18866	*
D	18.51	2x60=120	50	19212	*	1½"	18870	*
D	16.75	2x35=70	63	19213	*	2"	18871	*
C	16.31	2x42=84	50	19214	*	1½"	18872	*
C	13.66	60	63	19215	*	2"	18873	*
C	-	-	63x50	-	*	2x1½"	19772	*

PVC UNIONS



**Union
PVC
Socket**

- **Pressure rating:**
1½" to 2" - 240 PSI @ 73° F
- **Color:** dark grey




**Union
PVC
Threaded (F) x Socket**

- **Pressure rating:**
1½" to 2" - 150 PSI @ 73° F
- **Color:** dark grey



**Union
PVC
Threaded (F)**

- **Pressure rating:**
1½" to 2" - 150 PSI @ 73° F
- **Color:** dark grey



**Union
PVC
Threaded (F) x Threaded (M)**

- **Pressure rating:**
1½" to 2" - 150 PSI @ 73° F
- **Color:** dark grey



**Union
PVC
Threaded (M) x Socket**

- **Pressure rating:**
1½" to 2" - 150 PSI @ 73° F
- **Color:** dark grey



**Spigot union
PVC
Threaded (F) x Spigot**

- **Pressure rating:**
1½" to 2" - 150 PSI @ 73° F
- **Color:** dark grey
- **Flat gasket:** EPDM



**Spigot union
PVC
Threaded (M) x Spigot**


- **Pressure rating:**
1½" to 2" - 150 PSI @ 73° F
- **Color:** dark grey
- **Flat gasket:** EPDM

Packaging			DIN Metric Sizes			ASTM/NPT Sizes		
Pack	Weight (lb.)	Qty.	D	Code	List price USD	Size	Code	List price USD
D	26.01	2x30=60	50	02331	*	1½"	11937	*
D	24.25	2x15=30	63	02332	*	2"	15690	*
D	27.77	2x30=60	50	02340	*	1½"	11810	*
D	26.01	2x15=30	63	02341	*	2"	15691	*
D	33.51	2x30=60	50	02349	*	1½"	11811	*
D	31.74	2x15=30	63	02350	*	2"	15692	*
D	26.67	2x25=50	50	02366	*	1½"	11812	*
D	25.35	2x14=28	63	02367	*	2"	15693	*
D	21.16	2x25=50	50	02357	*	1½"	11813	*
D	23.14	2x14=28	63	02358	*	2"	15694	*
C	13.00	2x12=24	50	02414	*	1½"	11814	*
C	12.34	2x12=24	50	02423	*	1½"	11815	*

FLOWMETERS



Flow		Packaging			DIN Metric Sizes			ASTM/NPT Sizes		
GPM	l / h	Pack	Weight (lb.)	Qty.	D	Code	List price USD	Size	Code	List price USD
0.04 - 0.44	10 - 100	-	-	-	1/2"	20211	*	1/2"	22182	*
0.06 - 0.66	16 - 160	-	-	-	1/2"	20212	*	1/2"	22183	*
0.1 - 1.1	25 - 250	-	-	-	1/2"	20213	*	1/2"	22184	*
0.2 - 1.8	40 - 400	-	-	-	3/4"	20214	*	3/4"	22185	*
0.3 - 2.7	60 - 630	-	-	-	3/4"	20215	*	3/4"	22186	*
0.4 - 4.4	100 - 1000	-	-	-	3/4"	20216	*	3/4"	22187	*
0.04 - 0.44	10 - 100	-	-	-	20	20205	*	1/2"	22188	*
0.06 - 0.66	16 - 160	-	-	-	20	20206	*	1/2"	22189	*
0.1 - 1.1	25 - 250	-	-	-	20	20207	*	1/2"	22190	*
0.2 - 1.8	40 - 400	-	-	-	25	20208	*	3/4"	22191	*
0.3 - 2.7	60 - 630	-	-	-	25	20209	*	3/4"	22192	*
0.4 - 4.4	100 - 1000	-	-	-	25	20210	*	3/4"	22193	*





Lluís Companys 51-53 - 08400 Granollers (Barcelona) Spain
Phone: +(34) 93 870 42 08 Fax: +(34) 93 879 57 11
E-mail: cepex@cepex.com
Website: www.cepex.com